Safety measures in the installation of Atomic Power Plant at Koodankulam

183. SHRI V. GOPALSAMY:
SHRI T. R. BALU:

Will the PRIME MINISTER be pleased to state what safety measures are being taken by Nuclear Power Corporation while instal ing the Koo dankulam Atomic Plant?

THE MINISTER OF STATE IN THE MINISTRY OF SCIENCE AND TECHNOLOGY AND THE MINISTER OF STATE IN THE DEPARTMENTS OF OCEAN DEVELOPMENT, ATOMIC ENERGY, ELECTRONICS AND SPACE (SHRI K. R. NARAYANAN): (a) The 29xl000 MWE Soviet WERs proposed to be set up at Kudankulam with Soviet Co-operation are of pressurised light water reactors (FWRs) type which is the predominant type of reactors in operation and construction the world over. These reactors are having a good safety record. The pronosed Soviet-aided plant will be provided with advanced engineered safetv features including a steel lined prestressed concrete containment to assure safe and reliable operation and safey of the operating personnel, the public and the environment. As an additional measure an exclusion zone of 2 km radius around the plant will also be established. The safety aspects of setting up the plant at Kudankulam will be subie'-t to independent safetv review bv Atomic Energy Regulatory Board. Environmental clearance from Ministrv of Environment and Forests is also being obtained for setting up the plant.

CGHS Dlsnensaries in Delhi/New Delhi

184. SHRT SOHAN LAL DHUSIYA: Will the Minister of HEALTH AND FAMTLY WELFARE be pleased to state:

(a) whether it is fact that the number tbe Allopathic CGHS Dispensaries in Delhi/New Delhi is much more in comparison to the Dispensaries of I.S.M. & Homoeopathy;

(b) if so, the reasons therefor; and

(c) what are the reasons that the posts of Director, Dy, Director, Chier Medkal Officer in CGHS have neithisr so far been held by incumbents belonging to Homoeopathy, Ayurvedic *to* Unani systems nor such posts are filled UP on rotation from each systeiii of medicines; if so, the reasons for this type of disparity with Indian systeta of Medicine and Homoeopathy?

THE MINISTER OF STATE IN TH* MINISTRY OF HEALTH AWD FAMILY WELFARE (KUMiUit SAROJ KHAPARDE): (a) Yes, Sir,

(b) The demand for Allopathic dispensaries is more than that of other Systems of medicines.

(c) The post are created on the bashs; of functional justification or on the recommendations/norms of the Staff Inspection Unit or approved staffing pattern. The posts of Director, DY. Director and Chief Medical Officer lie included in the Central Health Serve whereas the posts of Homoeopafli, Ayurvedic & Unani systems of rnwfccine are not encadred posts of Cehtttf Health Service. The posts of Director, Dy. Director and Chief Medical Offteer belonging to the Central Health Service cannot be filled up by rotation from officers belonging to other systems of medicine.

Unani CGHS Dispensaries

185. SHRI SOHAN LAL DHUSIYA; Will the Minister of HEALTH AND FAMILY WELFARE be pleased to state:

(a) when the first CGHS dispensary was opened in Delhi/New Delhi;

(b) what is the number of items included in the unani formulary after its inception in each of the first thine